

## In the Claims

1-30 (Cancelled)

31. (Currently Amended) A method for providing subscription code services ~~in a geographical area~~, the method comprising:

allocating a plurality of subscription codes for the services;

storing the subscription codes in a look up table;

~~provisioning a trigger at each of at least one switch within the geographical area, wherein the trigger is adapted to detect calls initiated by one or more callers using one of the subscription codes;~~

receiving a query querying a controller for call routing instructions when a call initiated by a caller using a subscription code is detected ~~at a switch;~~

~~determining an originating region from which the call was initiated and the time of day when the call was initiated;~~

providing retrieving a list of subscribers associated with the subscription code ~~telephone number~~ from the look up table, the look up table containing associations of the subscription code to multiple telephone numbers, each telephone number being associated with a different subscriber, ~~wherein the telephone number is substantially permanently assigned to the subscription code;~~

receiving a selection specifying one subscriber selected from the list of subscribers;

determining a telephone number corresponding to the one subscriber that has been selected from the list; and

terminating the call using the telephone number.

32. (Currently Amended) The method of claim 31 further comprising: determining an originating region from which the call was initiated, wherein the list of subscribers associated with the subscription code is based on the originating region is determined based on an originating point code associated with the caller.

33. (Currently Amended) A method for providing subscription code services ~~in a geographical area~~, the method comprising:

- allocating a plurality of subscription codes for the services;
- storing the subscription codes in a look up table stored within a controller;
- ~~provisioning a customized dialing plan trigger on at least one switch within the geographical area, wherein the customized dialing plan trigger is adapted to detect calls initiated by callers using one of the subscription codes;~~

- receiving a query ~~within an Info\_Analyze message~~ for call routing instructions when a call ~~initiated by a caller~~ using a the subscription code is detected ~~at a switch~~, the query including a translation type, ~~an origination point code~~, and the subscription code ~~and a time of day when the call was initiated~~;

- retrieving ~~an Analyze\_Route message~~ containing a plurality of telephone numbers and subscribers from the look up table containing associations of the subscription code to multiple telephone numbers based at least in part on the subscription code ~~and the time of day when the call was initiated~~, wherein the telephone numbers are substantially permanently assigned to the subscription code;

- offering ~~a caller~~ a selection of ~~one two or more of the subscribers retrieved~~ telephone numbers corresponding to the same subscription code ~~such that the plurality of telephone numbers offered to the caller is different at the time of day at which the call was initiated than for a call initiated at a second time of day, wherein the subscription code is associated with two or more different subscribers~~;

- receiving a selection specifying one subscriber selected from the two or more subscribers;

- determining a telephone number corresponding to the one subscriber; and
- terminating the call using the ~~retrieved~~ telephone number.

34-35. (Cancelled)

36. (Currently Amended) A method for providing subscription code services ~~in a geographical area~~, the method comprising:

- allocating a plurality of subscription codes for the services;

storing the plurality of subscription codes in a look up table resident within a controller associated with one or more call routing instructions, wherein the look up table contains associations of the subscription code to multiple telephone numbers, each telephone number being associated with a different subscriber ~~corresponding to different originating regions based at least in part on the subscription code;~~

~~provisioning a trigger at each of at least one switch within the geographical area, wherein the trigger is adapted to detect calls initiated by callers using one of the subscription codes;~~

receiving a query ~~querying the controller~~ for the call routing instructions when a call ~~initiated by a caller~~ using a subscription code is detected ~~at a switch the query including a time of day when the call was initiated;~~

~~presenting to the caller a list of subscribers associated with the subscription code, wherein the subscription code is associated with two or more different subscribers such that a subscriber associated with the telephone number retrieved at the second time of day is different from the subscriber associated with the telephone number retrieved at the time of day when the call was initiated;~~

receiving a selection specifying one subscriber ~~one telephone number~~ ~~corresponding to a subscriber that has been chosen by the caller~~ selected from the list; ~~wherein the one telephone number is substantially permanently assigned to the subscriber code;~~

determining a telephone number corresponding to the one subscriber; and  
terminating the call using the telephone number.

37. (Currently Amended) The method of claim 36, wherein presenting ~~to the caller a~~ the list of subscribers associated with the subscription code involves a prerecorded announcement.

38. (Currently Amended) The method of claim 36, wherein presenting ~~to the caller a~~ list of subscribers associated with the subscription code and receiving a selection specifying one subscriber ~~one telephone number corresponding to a subscriber that has been chosen by the caller~~ from the list are performed by one or both of a service node and a ~~the~~

switch.

39. (Currently Amended) A method for providing subscription code services ~~in a geographical area~~, the method comprising:

allocating a plurality of subscription codes for the services;

storing the subscription codes in a look up table;

~~provisioning a trigger at each at least one switch within the geographical area,~~  
~~wherein the trigger is adapted to detect calls initiated by one or more callers using one of the subscription codes;~~

receiving a query querying a controller for call routing instructions when a first call initiated by a first caller using a numerical subscription code is detected at a switch;

determining an originating region from which the first call was initiated;

providing a list of subscription codes based upon the numerical subscription code,  
wherein the list includes two or more subscription codes that are associated with the numerical subscription code;

receiving a selection specifying one subscription code selected from the list of subscription codes;

~~retrieving a plurality of telephone numbers from the look up table containing associations of the subscription code to multiple telephone numbers corresponding to different originating regions based at least in part on the subscription code and the originating region determined for the first call, wherein the telephone number is substantially permanently assigned to the subscription code;~~

~~offering the first caller a selection of one of the retrieved telephone numbers corresponding to the same originating region and wherein the plurality of retrieved telephone numbers is offered to the first caller in a predetermined round robin order such that a second caller on a second call is presented with the plurality of retrieved telephone numbers in a different order than the first caller; and~~

determining a telephone number based upon the specified subscription code; and

terminating the call using the retrieved telephone number.

40. (Canceled)

41. (Currently Amended) A method for providing subscription code services ~~in a geographical area~~, the method comprising:

allocating a plurality of subscription codes for the services;

storing the subscription codes in a look up table;

~~provisioning a public office dialing plan trigger at each of at least one switch within the geographical area, wherein the trigger is adapted to detect calls initiated by callers using one of the subscription codes;~~

receiving a query querying a controller for call routing instructions when a call initiated by a first caller using a numerical subscription code is detected at a switch;

presenting a list of subscription codes based upon the numerical subscription code, wherein the list includes two or more subscription codes that are associated with the numerical subscription code;

receiving a selected subscription code;

retrieving a plurality of telephone numbers from the look up table containing associations of the selected subscription code to multiple telephone numbers based at least in part on the subscription code, wherein the multiple telephone numbers are substantially permanently assigned to the subscription code and are each associated with a subscriber associated with the subscription code;

selecting ~~for the caller~~ one of the multiple telephone numbers associated with one of the plurality of subscribers associated with the subscription code ~~in a predetermined round robin order such that each of the plurality of subscribers has the same chance of being contacted by the caller using the subscription code;~~ and

terminating the call using the selected telephone number.

42. (Canceled)